



DIMENSIONS:	
A	3.125" ±0.063
B	4.250" ±0.125
C	3.750" ±0.063
D	2.060" ±0.063
E	2.500" ±0.063
F	3.125" ±0.063
G	0.750" ±0.125
H	2.688" ±0.063
J	2.063" ±0.063



369KZ
 MADE IN CANADA
 WHT-BLK: 120V 50/60Hz 188VA JSXXXX
 WHT/BLK: 100V TAP; BLK/RED: 110V TAP
 BRN-BLU: 120V
 BRN/YEL: 100V TAP; BLU/YEL: 110V TAP
 RED-RED/YEL-RED: 450VCT 300mA
 YEL-YEL/BLK-YEL: 5VCT 3A; VIO: 50V TAP
 GRN-GRN/YEL-GRN: 6.3VCT 6A DATE

NOTE: ALL LEADS 8" OUT MIN.



ELECTRICAL DATA:			
TESTS	CONDITIONS	ACCEPTANCE CRITERIA	
Iex	@ 120V, 60Hz, WHT - BLK	221mA	Max.
Sec. N.L.V	@ 120V, 60Hz, WHT - BLK		
	RED - RED =	474.2V	±2%
	RED - RED/YEL = RED/YEL - RED =	237.1V	±2%
	RED/YEL - VIO =	52.80V	±2%
	YEL - YEL =	5.280V	±2%
	YEL - YEL/BLK = YEL/BLK - YEL =	2.640V	±2%
	GRN - GRN =	6.720V	±2%
	GRN - GRN/YEL = GRN/YEL - GRN =	3.360V	±2%
DCR	@ 20°C, WHT - BLK =	3.075 Ω	±20%
	@ 20°C, BRN - BLU =	3.328 Ω	±20%
	@ 20°C, RED - RED =	36.87 Ω	±20%
	@ 20°C, YEL - YEL =	0.043 Ω	±20%
	@ 20°C, GRN - GRN =	0.029 Ω	±20%
HIPOT	PRIMARY - SECONDARY	2500V, 60Hz, 1 SEC	

REV.#	REVISION	DATE
0	RELEASED.	C.I. 06/18/19

HAMMOND MANUFACTURING ELECTRONIC DIVISION
 52 RANKIN PLACE, WATERLOO, ONTARIO, N2J 3Z5
 PH # (519) 886-6181 FAX # (519) 886-9540

DWG. BY: C. ILIE	CHK'D BY:	TITLE: POWER TRANSFORMER	DWG. NO. 369KZ
DATE: 06/18/19	APP'D. BY:		
	DIMENSIONS: IN(X) MM()		